

PCT
INTERNATIONAL
PCT

Announcement of the Later Publication of
Amended Claims (and, Where Applicable,
Statement Under Article 19)



RAG ÜBER DIE
WESENS (PCT)

49463/P7

(51) Internationale Patentklassifikation 6: H04N 1/00, G06F 17/30	A1	(11) Internationale Veröffentlichungsnummer: WO 98/09426
		(43) Internationales Veröffentlichungsdatum: 5. März 1998 (05.03.98)

(21) Internationales Aktenzeichen: PCT/EP97/03573	(81) Bestimmungsstaaten: AU, CA, CN, JP, SG, US.
(22) Internationales Anmeldedatum: 28. August 1997 (28.08.97)	Veröffentlicht Mit internationalen Recherchenberichten. Mit geteilten Ansprüchen.
(30) Prioritätsdaten: 96440069.1 30. August 1996 (30.08.96) EP	Veröffentlichungsdatum der geteilten Ansprüche: 7. Mai 1998 (07.05.98)
(34) Länder für die die regionale oder internationale Anmeldung eingereicht worden ist: FR usw.	
(71) Anmelder (für alle Bestimmungsstaaten außer US): AL- CATEL ALSTHOM—COMPAGNIE GÉNÉRALE D'ÉLECTRICITÉ (FR/FR); 54, rue La Botz, F-75008 Paris (FR).	
(72) Erfinder; und	
(73) Erfinder/Anmelder (nur für US): FOUQUET, Guy, M. [FR/FR]; 4, rue Maurice Denis, F-75012 Paris (FR).	
(74) Anwält: ZINSINGER, Norbert usw.; Alcatel Alsthom, Intel- lectual Property Department, Postfach 300 929, D-70449 Stuttgart (DE).	

(54) Title: PROCESS AND SYSTEM FOR ACCESSING A MULTIMEDIA DOCUMENT

(54) Bezeichnung: VERFAHREN UND SYSTEM FÜR EINEN ZUGANG ZU EINEM MULTIMEDIALEN DOKUMENT

(57) Abstract

A process and system is disclosed for accessing a multimedia document composed of a tree of objects (OA, OB) from access machines (ZM) based on different platforms. The objects (OA, OB) are stored in a server (DS) in a platform-independent programming language (JAVA). The stored objects (OA, OB) contain information on the control of the dynamic behaviour of the respective objects. The objects (OA, OB) are transmitted through a communication network (N) from the server (DS) to an access machine (ZM) where they are translated by an interpreter from the platform-independent programming language into the language of the access machine (ZM).

Method and System for Enabling Access
to a Multimedia Document

This invention relates to a method and a system for enabling access to a multimedia document via a communications network, said access being possible from access means based on different platforms.

In present-day multimedia systems, many heterogeneous subscriber stations based on different technologies with different platforms, such as IBM-compatible PC, Apple Macintosh, or Unix workstations, are interconnected via communications networks. Servers with complex databases store contents for multimedia documents which can be accessed by a subscriber from his/her subscriber station, which represents a means of gaining access to the multimedia documents.

From T. Meyer-Boudnik et al, "MHEG Explained", IEEE Multimedia, Spring 1995, pages 26 to 38, the Multimedia and Hypermedia Information Coding Experts Group (MHEG) standard is known, which is to insure system-independent interaction between the different technologies. The MHEG standard permits a description of complex data from which a multimedia document (pictures, sound, text, video, ...) is assembled, and makes available a formal syntax with which the interrelationship between these data and their dynamic behavior can be described. "Dynamic behavior" means,



for example, interactivity or synchronization of different pieces of information which form part of the multimedia document but are stored in different servers. The complex data from which the multimedia document is constructed are referred to as MHEG objects. An MHEG object may, in turn, be composed of a tree of different other MHEG objects.

According to the MHEG standard, descriptions of MHEG objects from which a multimedia document is assembled are stored in an object-oriented database in a database-specific programming language. This object-oriented database can be accessed by an MHEG server. For the transfer of one of the MHEG objects from the MHEG server to one of the access means, which represents an MHEG client, the MHEG object must be encoded into a transfer language. This transfer language is the Abstract Syntax Notation 1 (ASN.1). In the MHEG client, the encoded MHEG object must be decoded. The MHEG client must have information on the control of the dynamic behavior of the MHEG object, since this information is not transferred between the MHEG server and the MHEG client. In a separate process, the dynamic connections between the MHEG objects, which describe the dynamic behavior, must be established and activated in the MHEG client.

It is a disadvantage of the system according to the MHEG standard that the encoding and decoding processes may take much time, so that the real-time processing of the MHEG objects is adversely affected. In addition, the MHEG client needs information on the



control of the dynamic behavior of one of the MHEG objects. The MHEG client must therefore have a certain intelligence.

At least preferred embodiment of the present invention seek to provide a method of and a system for enabling simple and effective access to a multimedia document.

5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

According to the invention, the objects from which a multimedia document is assembled are stored in a server in a platform-independent programming language. The encoding and decoding processes required with the use of the transfer language ASN.1 are advantageously replaced by a simple interpretation phase.

It is an advantage of the invention that the information for controlling the dynamic behavior of an object is contained in the respective object itself, so that an access means to which this object is transferred requires no separate information for controlling the dynamic behavior of this object.

According to advantageous aspects of the invention, the objects are objects according to the MHEG standard and are stored in the platform-independent programming language JAVA. According to a further advantageous aspect of the invention, the binary code for defining the objects is stored in the server in file form. This



eliminates the need for complicated object management as is required in conventional databases.

Further advantageous aspects of the invention are defined in the dependent claims.

The invention and its advantages will become more apparent from the following description of an embodiment when taken in conjunction with the accompanying drawing, whose single figure shows one embodiment of the system according to the invention, in which the method according to the invention can be carried out.

Referring to the figure, there is shown a first server DS in which a plurality of objects from which multimedia documents are constructible are stored. In this embodiment, the objects stored in the first server DS are objects according to the MHEG standard. Substitutionally for the stored MHEG objects, one object OB is depicted in the figure. The system further comprises several servers in which content data for the multimedia documents are stored. Substitutionally for these servers, a second server VS is depicted in the figure. This second server VS contains content data for video films. The other servers may contain associated audio information, for example.

The MHEG objects stored in the first server DS contain references to document contents stored in the second server VS and the other servers. The system further



comprises a plurality of access means which may have different platforms. Substitutionally, one access means TM is depicted in the figure. The first server DS, the second server VS, and the access means ZM are connected to a communications network N. In this embodiment, the communications network N is the Internet. It is possible to use other communications networks, such as a communications network based on the Asynchronous Transfer Mode (ATM) standard, etc., provided that the devices communicating with one another via these communications networks are suitably adapted.

The figure further shows an MHEG object OA which is being transferred from the first server DS to the access means ZM via the Internet N.

The MHEG objects in the first server DS are stored in byte code in the JAVA programming language in the form of files. JAVA is an object-oriented, platform-independent programming language which allows the JAVA code to be executed on different platforms without the need for recompilation.

In object-oriented technology, an object is an instance of a specific class. A class is composed of attributes, which describe its contents, and methods, which describe its dynamic behavior. The MHEG objects stored in the JAVA programming language in the first server DS contain, besides information on the static behavior of the MHEG object, e.g., on the composition of the object, the location of the respective object



within the multimedia document, the interrelationships between the various objects, etc., information on the dynamic behavior of the respective object. This means that the respective MHEG object also contains the information on the control of its dynamic behavior, such as temporal relationships between the different objects or information on synchronizations with other objects. One example of information on the dynamic behavior of an object is the duration of the display of an image on a screen of the access means for 10 seconds.

For the transfer of the MHEG object OA from the first server DS via the Internet N to the access means ZM, no encoding and decoding is necessary. The object OA is transferred to and received at the access means ZM in the JAVA programming language. In the access means ZM, the JAVA code of the object OA must be interpreted, i.e., it is translated by a JAVA interpreter into the machine language of the access means ZM. This JAVA interpreter is an interface between the independent JAVA code and the platform on which this JAVA code must be executed. The result of this interpretation is the execution of the JAVA program. Such a JAVA interpreter may, for example, be a JAVA-capable World Wide Web browser, such as Netscape 2.X. This insures in an advantageous manner that for the implementation of the present invention, a widely used man-machine interface can be employed.

The MHEG objects which are transferred to the access means ZM contain all information for assembling and



executing the multimedia document in the access means ZM. The access means ZM itself does not require any further information for handling the received object.

In the embodiment shown in the accompanying figure, in a first step 10, the access means ZM accesses the first server DS by means of a network-transparent request according to the Hypertext Transfer Protocol (HTTP). With this HTTP request, the access means ZM specifies the address of the file containing the objects of the desired multimedia document in the first server DS. In a step 20, the corresponding objects are then transferred from the first server DS to the access means ZM, where they are interpreted by the JAVA interpreter. In a subsequent step 30, the document content specified in the objects, which is stored in the second server VS, is requested and transferred from the second server VS to the access means ZM. The access means ZM can then assemble and execute the multimedia document.



Claims



1. A method of accessing multimedia documents from access means (ZM) based on different platforms, the multimedia documents including data which describe the relationships between the contents of the respective multimedia document and the dynamic behavior of the document contents, said method comprising the steps of storing for each multimedia document a tree of objects in a server in a platform-independent programming language, said objects containing references to document contents and information on the control of the dynamic behavior of document contents, and, when accessing the multimedia document, transmitting said objects from the server through a communications network to one of the access means in which an interpreter translates said objects from the platform-independent programming language into machine language.
2. A method as claimed in claim 1, characterized in that the objects are objects according to the Multimedia and Hypermedia Information Coding Experts Group standard.
3. A method as claimed in claim 1, characterized in that the platform-independent programming language is the JAVA programming language.



4. A method as claimed in claim 1, characterized in that the communications network is the Internet.

5. A method as claimed in claim 1, characterized in that the objects are stored in the server in files.

6. A method as claimed in claim 5, characterized in that the access means access the server by means of a request according to the hypertext transfer protocol.

7. A system for accessing multimedia documents from access means based on different platforms, said multimedia documents including data which describe the relationships between the contents of the respective multimedia document and the dynamic behavior of the document contents, said system comprising a server in which for each multimedia document a tree of objects containing references to document contents and information on the control of the dynamic behavior of document contents is stored in a platform-independent programming language, access means based on different platforms and each provided with an interpreter for translating said objects from the platform-independent programming language into machine language, and a communications network for transmitting objects from the server to one of the access means.

8. A server for enabling access from access means based on different platforms to multimedia documents including data which describe the relationships between the contents of the respective multimedia document and the dynamic behavior of the document contents, said server comprising storage means in which for each multimedia document a tree of objects containing references to document contents and information on the control of the dynamic behavior of document contents is stored in a platform-independent programming language, and means for transmitting said objects through a communications network to one of the access means in which an interpreter translates said



objects from the platform-independent programming language
into machine language.

999999



Abstract of the Disclosure

Method and System for Enabling Access to a Multimedia Document

A method and a system are disclosed for enabling access to a multimedia document composed of a tree of objects (OA, OB). This access is to be possible from access means (ZM) based on different platforms. The objects (OA, OB) are stored in a server (DS) in a platform-independent programming language (JAVA). The stored objects (OA, OB) contain information on the control of the dynamic behavior of the respective object. The objects (OA, OB) are transmitted from the server (DS) through a communications network (N) to one of the access means (ZM) where they are translated by an interpreter from the platform-independent programming language into the machine language of the access means (ZM).

(Figure)



ZPL/S-ZI/Ke/kd

100 167

